This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division — Occupational Health and Safety

Premise/Project Form

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1329460	9 Oct 2009	5407601 STC	5455424

Premise/Project Location

151 ONTARIO AVE ELLI ON CAN P5A 2S8

Telephone	Inspection Unit	JHSC Status	Work Force	% Complete
(705) 461-3626	P5A	NREQ	2	90

Assigned Staff	Requesting Staff	SIC Codes	Case Type	Field Visit Type	Notice ID
6 GIGNAC		4022		INIT	

Contacted: (S. 21) MAINTENANCE MANAGER

Visit Purpose: INVESTIGATION

Visit Location: 151 ONTARIO AVE, ELLIOT LAKE

Summary or Comments: USE OF ELEVATING DEVICES WITH NO TRAINING OR FALL PROTECTION. THIS EMPLOYER SHALL TRAIN ALL WORKERS WHO USE THE ELEVATING DEVICE AND TRAIN ALL WORKERS WHO USE A FALL PROTECTION SYSTEM. THE SKYJACK LIFT SHALL NOT BE USED UNTIL TRAINING IS COMPLETE.

Order(s)/Requirement(s) Issued to:

To	Org/Ind Role	Org/Ind ID No.	Telephone No.
EASTWOOD MALL INC.	CONSTRUCTOR	1153817	(705) 461-3626
Mailing Address		**Trade Code**	**Postal Code**
151 ONTARIO AVE ELLI ON		IND	P5A 2S8

Order(s)/Requirement(s) Description

You are required to comply with the order(s)/requirement(s) by the dates listed below. Remember that while complying with occupational health and safety laws you are also required to comply with applicable environmental laws.

Order No.	Type Code	ActReg	Year	Sec.	Sub Sec.	Clause	Text of Order/Requirement	Comply by Date
1	TIMU	OHSA	1990				The employer shall ensure that all workers be given oral and written instruction on the operation and be trained to operate the skyjack elevating device.	
1709187		213	1991	147	1			

Continued...

Recipient	Inspector Data	Worker Representative
Name _____	GIGNAC, MARK CONSTRUCTION HEALTH & SAFETY INSPECTOR 70 FOSTER DR, SAULT STE. MARIE 705-945-6555 705-949-9796	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division — Occupational Health and Safety

Premise/Project Form - Order Continuation

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1329460	9 Oct 2009	5407601	5455424

Order(s)/Requirement(s) Issued to:

To	Org/Ind Role	Org/Ind ID No.	Telephone No.
EASTWOOD MALL INC.	CONSTRUCTOR	1153817	(705) 461-3626
Mailing Address		**Trade Code**	**Postal Code**
151 ONTARIO AVE ELLI ON		IND	P5A 2S8

Order(s)/Requirement(s) Description

You are required to comply with the order(s)/requirement(s) by the dates listed below. Remember that while complying with occupational health and safety laws you are also required to comply with applicable environmental laws.

Order No.	Type Code	ActReg	Year	Sec.	Sub Sec.	Clause	Text of Order/Requirement	Comply by Date
2	STOP	OHSA	1990	57	6	a	The employer shall not use the skyjack elevating device unless all worker who operate the device is provided proper training. The employer shall contact this inspector when the trai ning has been completed.	
1709188								
3	TIMU	OHSA	1990				An employer shall ensure that a worker who may use a fall protection system is adequately trained in its use and given adequate oral and written instructions by a competent person.	
1709190		213	1991	26.2	1			
4	STOP	OHSA	1990	57	6	a	The employer shall ensure that no worker uses the elevating device unless the workers have proper fall protection training. The employer shall contact this inspector when the appropriate fall protection has beeen provided.	
1709191								

Recipient	Inspector Data	Worker Representative
Name _____	GIGNAC, MARK CONSTRUCTION HEALTH & SAFETY INSPECTOR	Name _____
Title _____	70 FOSTER DR, SAULT STE. MARIE	Title _____
	705-945-6555 705-949-9796	
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an Inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division | Occupational Health and Safety

Premise/Project Form - Narrative Continuation

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1329460	9 Oct 2009	5407601	5455424

Review and discuss;

A skyjack elevating device has been used to paint the structural steel beams on the outside of the mall. The use of this elevating device requires that all workers have very specific training in the use of the device and it's operating procedures as per the manufactures manual.

This employer shall not use the device until proof of training has been provided to this inspector for training as well as fall protection training.

Fall protection is required to operate this device while the device is being moved, up/down or driven. The hazards of falling out of this device have been discussed. Discuss the limitation of this device to slope.

While this device or other construction work is being completed in a public walkway, proper public way protection is required. Signs, fencing or other barriers to ensure that the public does not have access to the construction area.

Contact the Construction Safety Association of Ontario or the Industrial Accident Safety Association of Ontario for proper training on elevating devices and fall protection.

Recipient	Inspector Data	Worker Representative
Name _____	GIGNAC, MARK CONSTRUCTION HEALTH & SAFETY INSPECTOR 70 FOSTER DR, SAULT STE. MARIE 705-945-6555 705-949-9796	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division: Occupational Health and Safety

Premise/Project Form

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
ELLIOT LAKE FOODLAND	36330	17 Nov 2010	5199718 STC	5798561

Premise/Project Location
151 ONTARIO AVE ELLI ON CAN P5A 2T2

Telephone	Inspection Unit	JHSC Status	Work Force	% Complete
(705) 461-1466	4446	JC20	48	0

Assigned Staff	Requesting Staff	SIC Codes	Case Type	Field Visit Type	Notice ID
125 HUDSON		6011		INIT	

Contacted: (S. 21) --MANAGER (S. 21) -WORKER JOINT COMMITTEE MEMBER

Visit Purpose: COMPLAINT INVESTIGATION

Visit Location: STORE

Summary or Comments: CEILING SEWAGE PIPE, FROM MALL'S 2ND FLOOR, LEAKED 10-11-10. CLEAN UP WORKERS WERE FROM EASTWOOD MALL INC. LEAKING PIPE HAS BEEN REPAIRED. NO ORDERS ISSUED.

Recipient	Inspector Data	Worker Representative
Name _____	HUDSON, ED	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative of the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division: Occupational Health and Safety

Premise/Project Form - Order Continuation

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
ELLIOT LAKE FOODLAND	36330	17 Nov 2010	5199718	5798561

Recipient	Inspector Data	Worker Representative
Name _____	HUDSON, ED	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division: Occupational Health and Safety

Premise/Project Form

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1347263	17 Nov 2010	5199718 STC	5798562

Premise/Project Location
151 ONTARIO AVE. ELLI ON CAN P5A 2T2

Telephone	Inspection Unit	JHSC Status	Work Force	% Complete
(705) 461-3626		HSRP	10	0

Assigned Staff	Requesting Staff	SIC Codes	Case Type	Field Visit Type	Notice ID
125 HUDSON		6413		CONT	

Contacted: (5.21)--MALL MANAGER

Visit Purpose: INVESTIGATION

Visit Location: FOODLAND

Summary or Comments: BRUNET PLUMBING HAS BEEN CONTRACTED TO REPLACE THE ENTIRE PIPING SYSTEM. WILL BE COMPLETED BY EARLY TO MID DECEMBER, WORKING AROUND FOODLANDS BUSINESS HOURS. 1 ORDER ISSUED.

Order(s)/Requirement(s) Issued to:

To	Org/Ind Role	Org/Ind ID No.	Telephone No.
EASTWOOD MALL INC.	EMPLOYER	1206510	(705) 461-3626

Mailing Address	Trade Code	Postal Code
151 ONTARIO AVE. ELLI ON		P5A 2T2

Order(s)/Requirement(s) Description

You are required to comply with the order(s)/requirement(s) by the dates listed below. Remember that while complying with occupational health and safety laws you are also required to comply with applicable environmental laws.

Order No.	Type Code	ActReg	Year	Sec.	Sub Sec.	Clause	Text of Order/Requirement	Comply by Date
1	TIME	OHSA	1990	8	1		The employer shall cause the workers to select at least one health and safety representative from among the workers at the workplace who do not exercise managerial functions.	30 Nov 2010
1286404								

Recipient

Name _____

Title _____

Signature

Inspector Data
HUDSON, ED

Signature

Worker Representative

Name _____

Title _____

Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an Inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division: Occupational Health and Safety

Premise/Project Form - Narrative Continuation

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1347263	17 Nov 2010	5199718	5798562

Recipient	Inspector Date	Worker Representative
	HUDSON, ED	
Name _____		Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division: Occupational Health and Safety

Premise/Project Form

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1347263	7 Jan 2011	5199718 STC	5810217

Premise/Project Location
151 ONTARIO AVE. ELLI ON CAN P5A 2T2

Telephone	Inspection Unit	JHSC Status	Work Force	% Complete
(705) 461-3626		HSRP	10	0

Assigned Staff	Requesting Staff	SIC Codes	Case Type	Field Visit Type	Notice ID
125 HUDSON		6413		FOLL	

Contacted: (S.21) -ASST. MANAGER

Visit Purpose: FOLLOW UP VISIT

Visit Location: OFFICE OF MALL

Summary or Comments: ALL ORDERS DATED 17-11-10 COMPLIED WITH. NO FURTHER ORDERS ISSUED.

Recipient	Inspector Data	Worker Representative
Name _____	HUDSON, ED	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

This report is a facsimile reconstructed from the corresponding field visit record registered in MOL Occupational Health and Safety database. It is not a true copy of the actual Premise Project Form left with the client.

Ministry of Labour

Safe At Work Ontario

Ontario

Operations Division

Occupational Health and Safety

Premise/Project Form - Order Continuation

Premise/Project Name	P/P ID	Visit Date	Case ID	FV No.
EASTWOOD MALL INC.	1347263	7 Jan 2011	5199718	5810217

Recipient	Inspector Date	Worker Representative
	HUDSON, ED	
Name _____		Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

Ministry of Labour

Safe At Work Ontario

Operations Division — Occupational Health and Safety

Ontario

Field Visit Report

OHS Case ID: 00125DKQP059
Field Visit no: 00125DKQP060 Visit Date: 2011-JUN-01 Field Visit Type: INITIAL

Workplace Identification: ALGO INN Notice ID:

151 ONTARIO AVENUE , ELLIOT LAKE , ON, CANADA P5A 2T2

Telephone: JHSC Status: Work Force # : 18 Completed %:

Persons Contacted: (s.21) --MANAGER (s.21) -EXECUTIVE SECRETARY; RECEPTION

Visit Purpose: INSPECTION
Visit Location: HOTEL & MALL
Visit Summary: 2 ORDERS ISSUED

Detailed Narrative:

...2 lost time events noted; (slip, stress)

....Toll Free SSM: 1 - 800 - 461 - 7268. Inspector extension 6604

....Toll Free After Hour Events: 1 - 877 - 202 - 0008

.....Material safety data sheets expire every 3 years

.....WHMIS training for workers to be reviewed annually.

COPY

Recipient	Inspector Data	Worker Representative
Name _____	ED HUDSON OCCUPATIONAL HEALTH & SAFETY INSPECTOR PROVINCIAL OFFENCES OFFICER 70 Foster Drive, Suite 480 Sault Ste Marie, ON P6A 6V4 Tel: 705-945-6604 Fax: 705-949-9796	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-3335 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

Ministry of Labour

Safe At Work Ontario

Operations Division — Occupational Health and Safety

Ontario

Field Visit Report

OHS Case ID: 00125DKQP059
Field Visit no: 00125DKQP060 Visit Date: 2011-JUN-01 Field Visit Type: INITIAL

Order(s) /Requirement(s) Issued To:

To:	Org/Ind Role	Telephone No
ALGO INN	Primary Employer	

Mailing Address: Postal Code

151 ONTARIO AVENUE , ELLIOT LAKE, ON, CANADA P5A 2T2 P5A 2T2

Order(s) /Requirement(s) Description:
You are required to comply with the order(s) /requirement(s) by the dates listed below.

No	Type Code	ActReg	Year	Sec.	Sub Sec.	Clause	Text of Order/Requirement	Comply by Date
00125DKQP061	Time	OHSA	1990	37	1	b	The employer shall obtain an unexpired material safety data sheet for all hazardous materials present in the workplace.	2011-Jun-15
00125DKQP062	Time	OHSA	1990	42			The employer shall ensure that a worker exposed to a hazardous product is adequately trained in storage, handling & use of such products.	2011-Jun-22

COPY

Recipient	Inspector Data	Worker Representative
Name _____	ED HUDSON OCCUPATIONAL HEALTH & SAFETY INSPECTOR PROVINCIAL OFFENCES OFFICER 70 Foster Drive, Suite 480 Sault Ste Marie, ON P6A 6V4 Tel: 705-945-6604 Fax: 705-949-9796	Name _____
Title _____		Title _____
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-3335 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

Ministry of Labour

Safe At Work Ontario

Operations Division — Occupational Health and Safety

Ontario

Field Visit Report

OHS Case ID: 00125DKQP059
Field Visit no: 00125DPXP106 Visit Date: 2011-AUG-26 Field Visit Type: CONTINUATION

Workplace Identification: ALGO INN
151 ONTARIO AVENUE , ELLIOT LAKE , ON, CANADA P5A 2T2
Notice ID:

Telephone:	JHSC Status:	Work Force #:	Completed %:
(705) 461-9251	Inactive	18	

Persons Contacted: (S. 21) ---EXECUTIVE SECRETARY
Visit Purpose: INSPECTION
Visit Location: INN & MALL
Visit Summary: ALL ORDERS DATED 01 - 06 - 11 COMPLIED WITH. NO FURTHER ORDERS ISSUED.

Detailed Narrative:

toll free ssm: 1 - 800 - 461 - 7268

toll free after hours events notification: 1 - 877 - 202 - 0008

Recipient	Inspector Data	Worker Representative
Name (S. 21)	ED HUDSON OCCUPATIONAL HEALTH & SAFETY INSPECTOR PROVINCIAL OFFENCES OFFICER 70 Foster Drive, Suite 480 Sault Ste Marie, ON P6A 6V4 Tel: 705-945-6604 Fax: 705-949-9796	Name
Title		Title
Signature	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-3335 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.

Ministry of Labour

Safe At Work Ontario

Operations Division — Occupational Health and Safety

Ontario

Field Visit Report

OHS Case ID: **00125FBPM091**
Field Visit no: **00125FBPM092** Visit Date: **2012-JAN-11** Field Visit Type: **INITIAL**

Workplace Identification: **EASTWOOD MALL INC.** Notice ID:
151 ONTARIO AVENUE , ELLIOT LAKE , ON, CANADA P5A 2T2

Telephone:	JHSC Status:	Work Force #:	Completed %:
(705) 461-3626	**Inactive**	**12**	

Persons Contacted: (S. 21) --CORPORATE MANAGER
Visit Purpose: COMPLAINT INVESTIGATION: LEAKING ROOF
Visit Location: ALGO MALL OFFICES
Visit Summary: NO RECENT LOST TIME EVENTS NOTED. NO ORDERS ISSUED.

Detailed Narrative:

Background:
...Top floor of most of the mall is outdoor parking to accommodate the needs of the mall & its tenants. Leaks have occurred in the past despite a snow removal program which involves and includes rubber blades.

Status:
....On going maintenance program is in place to patch leaks and attempt to indentify source location.
....Eastwood Mall are evaluating their options and will be dealing with this problem on a permanent basis spring/summer 2012.

No orders issued.

Toll free SSM: 1 - 800 - 461 - 7268 ext 6604

Toll free after hours event notification #: 1 - 877 - 202 - 0008

Recipient	Inspector Data	Worker Representative
Name _____	**ED HUDSON** OCCUPATIONAL HEALTH & SAFETY INSPECTOR PROVINCIAL OFFENCES OFFICER 70 Foster Drive, Suite 480 Sault Ste Marie, ON P6A 6V4 **Tel: 705-945-6604** **Fax: 705-949-9796**	Name _____
Title _____		Title _____
Signature (S. 21)	Signature	Signature

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-3335 or 1-877-339-3335 (toll free), mail or by website at http://www.gov.on.ca/lab/olrb/home.htm for more information.